

## SAFETY DATA SHEET

### Tarmac Cemscreed 1

According to Regulation (EC) No 1907/2006, Annex II, as amended.

	of the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	Tarmac Cemscreed 1	
1.2. Relevant identified use	es of the substance or mixture and uses advised against	
Identified uses	Flooring.	
Uses advised against	No specific uses advised against are identified.	
1.3. Details of the supplier of	of the safety data sheet	
Supplier	Tarmac Building Products Ltd	
	i10 Interchange	
	Railway Drive	
	Wolverhampton	
	WV1 1LH	
	Telephone: 03444 63 64 65	
	packedproducts@tarmacbp.co.uk	
1.4. Emergency telephone	number	
Emergency telephone	03444 63 00 46 (Office Hours)	
SECTION 2: Hazards ident	ification	
2.1. Classification of the su	bstance or mixture	
Classification (EC 1272/200	08)	
Physical hazards	Not Classified	
Health hazards	Eye Dam. 1 - H318 Skin Sens. 1 - H317	
Environmental hazards	Not Classified	
2.2. Label elements		
Pictogram		

Signal word	Danger
Hazard statements	H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

Precautionary statements	<ul> <li>P102 Keep out of reach of children.</li> <li>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 Immediately call a POISON CENTER/ doctor.</li> <li>P501 Dispose of contents/ container in accordance with national regulations.</li> </ul>
Contains	Cement, portland, chemicals
Supplementary precautionary statements	P261 Avoid breathing dust. P272 Contaminated work clothing should not be allowed out of the workplace. P362+P364 Take off contaminated clothing and wash it before reuse.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

3.2. Mixtures		
Cement, alumina, chemicals		50 - 100%
CAS number: 65997-16-2	EC number: 266-045-5	
Classification		
Eye Irrit. 2 - H319		
Calcium carbonate		10 - <25%
CAS number: 471-34-1	EC number: 207-439-9	
Substance with National workplace	ce exposure limits.	
Classification		
Not Classified		
Cement, portland, chemicals		2.5 - <5%
CAS number: 65997-15-1	EC number: 266-043-4	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
Calcium dihydroxide		0.025 - <0.25%
CAS number: 1305-62-0	EC number: 215-137-3	
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
STOT SE 3 - H335		

Crystalline Silica		0.025 - <0.25%
CAS number: 1317-95-9		
Classification STOT RE 1 - H372		
Limestone		0.025 - <0.25%
CAS number: 1317-65-3	EC number: 215-279-6	
Substance with National workplace	exposure limits.	
Classification Not Classified		
Silicon dioxide		0.025 - <0.25%
CAS number: 7631-86-9	EC number: 231-545-4	
Substance with National workplace	exposure limits.	
Classification Not Classified		
The full text for all hazard statements is displayed in Section 16.		
SECTION 4: First aid measures		
4.1. Description of first aid measures		

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical attention.
Skin contact	Brush off loose particles from skin. It is important to remove the substance from the skin immediately. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Remove contamination with soap and water or recognised skin cleansing agent. Get medical attention if symptoms are severe or persist after washing.
Eye contact	Rinse immediately with plenty of water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation	A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
4.3. Indication of any immediate medical attention and special treatment needed	
	— · · · · · · · · · · · · · · · · · · ·

Notes for the doctor	Treat symptomatically. May cause sensitisation or allergic reactions in sensitive individuals.
----------------------	--

### SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
5.2. Special hazards arising from	om the substance or mixture
Specific hazards	None known.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
5.3. Advice for firefighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipmentWear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective<br/>clothing. Firefighter's clothing conforming to European standard EN469 (including helmets,<br/>protective boots and gloves) will provide a basic level of protection for chemical incidents.

#### SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes.

#### 6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with acid. Caution. May generate heat. Following dilution and neutralisation, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. For waste disposal, see Section 13.	
6.4. Reference to other sectio		
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	brage	
7.1. Precautions for safe hand	lling	
Usage precautions	Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Keep container tightly sealed when not in use. Avoid handling which leads to dust formation. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage	ge, including any incompatibilities	
Storage precautions	Store locked up. Store away from the following materials: Acids. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.	
Storage class	Acid-reactive storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure Control	bls/personal protection	
8.1. Control parameters		
Occupational exposure limits		
Long-term exposure limit (8-hour TWA): WEL 10 mg/m <sup>3</sup> inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m <sup>3</sup> respirable dust		
Calcium carbonate		
Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust		
Cement, portland, chemicals		
Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m³ respirable dust		
Calcium dihydroxide		
Long-term exposure limit (8-hour TWA): WEL 5 mg/m <sup>3</sup>		
Crystalline Silica		
Long-term exposure limit (8-h	our TWA): WEL 0.1 mg/m <sup>3</sup> respirable dust	

#### Limestone

Long-term exposure limit (8-hour TWA): WEL 10 mg/m<sup>3</sup> inhalable dust Long-term exposure limit (8-hour TWA): WEL 4 mg/m<sup>3</sup> respirable dust

### Silicon dioxide

Long-term exposure limit (8-hour TWA): WEL 6 mg/m<sup>3</sup> inhalable dust Long-term exposure limit (8-hour TWA): WEL 2.4 mg/m<sup>3</sup> respirable dust WEL = Workplace Exposure Limit

#### Sulfonic acids, C14-16 (even numbered)-alkane hydroxy and C14-16 (even numbered)-alkene, sodium salts

DNEL	Workers - Inhalation; Long term systemic effects: 152.22 mg/m <sup>3</sup> Workers - Dermal; Long term systemic effects: 2158.33 mg/kg/day General population - Inhalation; Long term systemic effects: 45.04 mg/m <sup>3</sup> General population - Dermal; Long term systemic effects: 1295 mg/kg/day General population - Oral; Long term systemic effects: 12.95 mg/kg/day
PNEC	<ul> <li>Fresh water; 0.024 mg/l</li> <li>Marine water; 0.002 mg/l</li> <li>Intermittent release; 0.02 mg/l</li> <li>STP; 4 mg/l</li> <li>Sediment (Freshwater); 0.767 mg/kg</li> <li>Sediment (Marinewater); 0.077 mg/kg</li> </ul>

- Soil; 1.21 mg/kg

### 8.2. Exposure controls

# Protective equipment

Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Other skin and body protection	May cause skin sensitisation or allergic reactions in sensitive individuals. Wear appropriate clothing to prevent repeated or prolonged skin contact.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid release to the environment.

**SECTION 9: Physical and Chemical Properties** 

9.1. Information on basic physical and chemical properties		
Appearance	Sand. Cement. Powder.	
Odour	Slight.	
Odour threshold	Not determined.	
рН	≥ 11.5	
Melting point	~ 1250°C	
Initial boiling point and range	Not determined.	
Flash point	Not determined.	
Evaporation rate	Not determined.	
Evaporation factor	Not determined.	
Flammability (solid, gas)	Not determined.	
Upper/lower flammability or explosive limits	Not determined.	
Vapour pressure	Not determined.	
Vapour density	Not determined.	
Relative density	~ 3.0	
Bulk density	Not determined.	
Partition coefficient	Not determined.	
Auto-ignition temperature	Not determined.	
Decomposition Temperature	Not determined.	
Viscosity	Not determined.	
Explosive properties	Not considered to be explosive.	
Oxidising properties	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.	
9.2. Other information		
Other information	No information required.	
SECTION 10: Stability and rea	activity	
10.1. Reactivity		
Reactivity	There are no known reactivity hazards associated with this product.	
10.2. Chemical stability		
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.	
10.3. Possibility of hazardous	reactions	
Possibility of hazardous reactions	No potentially hazardous reactions known.	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	

### 9.1. Information on basic physical and chemical properties

#### 10.5. Incompatible materials

Materials to avoid Acid anhydrides. Acids. Phenols, cresols.

### 10.6. Hazardous decomposition products

Hazardous decompositionDoes not decompose when used and stored as recommended. Thermal decomposition or<br/>combustion products may include the following substances: Harmful gases or vapours.

### SECTION 11: Toxicological information

Acute toxicity - oral	
<b>Notes (oral LD</b> <sub>50</sub> ) Based on available data the classification criteria are not met.	
Acute toxicity - dermal	
Notes (dermal LD <sub>50</sub> )         Based on available data the classification criteria are not met.	
Acute toxicity - inhalation	
<b>Notes (inhalation LC</b> <sup>50</sup> ) Based on available data the classification criteria are not met.	
Skin corrosion/irritation	
Animal data         Based on available data the classification criteria are not met.	
Serious eye damage/irritation	
Serious eye damage/irritation Eye Dam. 1 - H318 Causes serious eye damage.	
Respiratory sensitisation	
<b>Respiratory sensitisation</b> Based on available data the classification criteria are not met.	
Skin sensitisation	
<b>Skin sensitisation</b> May cause skin sensitisation or allergic reactions in sensitive individuals.	
Germ cell mutagenicity	
Genotoxicity - in vitro Based on available data the classification criteria are not met.	
Carcinogenicity	
Carcinogenicity Based on available data the classification criteria are not met.	
<b>IARC carcinogenicity</b> Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifia as to its carcinogenicity to humans.	ble
Reproductive toxicity	
<b>Reproductive toxicity - fertility</b> Based on available data the classification criteria are not met.	
Reproductive toxicity -Based on available data the classification criteria are not met.development	
Specific target organ toxicity - single exposure	
<b>STOT - single exposure</b> Based on available data the classification criteria are not met.	
Specific target organ toxicity - repeated exposure	
<b>STOT - repeated exposure</b> Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard	
Aspiration hazard Not relevant. Solid.	
General informationDust may irritate the eyes and the respiratory system. The severity of the symptoms descr will vary dependent on the concentration and the length of exposure.	bed

Inhalation	A single exposure may cause the following adverse effects: Irritation of nose, throat and airway. Difficulty in breathing. Coughing.
Ingestion	May cause sensitisation or allergic reactions in sensitive individuals. May cause irritation.
Skin contact	May cause skin sensitisation or allergic reactions in sensitive individuals. Redness. Irritating to skin.
Eye contact	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness.
Route of entry	Ingestion Inhalation Skin and/or eye contact
Target organs	Respiratory system, lungs
Medical considerations	Skin disorders and allergies.

### Toxicological information on ingredients.

Cement, alumina, chemicals

Acute toxicity - oral	
Notes (oral LD₅₀)	LD₅₀ >2000 mg/kg, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	LD₅₀ >2000 mg/kg, Dermal, Rat REACH dossier information. Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	LC₅₀ 7.6 mg/l, Inhalation, Rat REACH dossier information. Based on available data the classification criteria are not met.
Skin corrosion/irritation	
Animal data	Dose: 0.5 g, 4 hours, Rabbit Primary dermal irritation index: 0 REACH dossier information. Based on available data the classification criteria are not met.
Serious eye damage/irrita	tion
Serious eye damage/irritation	Dose: 62 mg, 24 hours, Rabbit REACH dossier information. Causes serious eye irritation.
Skin sensitisation	
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Reproductive toxicity	
Reproductive toxicity - development	Embryotoxicity:, Teratogenicity: - NOAEL: 266 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
Aspiration hazard	
Aspiration hazard	Not relevant. Solid

Aspiration hazard Not relevant. Solid.

### Calcium carbonate

Acute toxicity - oral	
Notes (oral LD₅₀)	> 2000 mg/kg, Rat REACH dossier information.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	> 2000 mg/kg, Rat REACH dossier information.
Skin corrosion/irritation	
Animal data	Dose: 0.5 g, 4 hours, Rabbit Erythema/eschar score: No erythema (0). Oedema score: No oedema (0). REACH dossier information. Not irritating.
Serious eye damage/irrita	tion
Serious eye damage/irritation	Dose: 0.1 ml (61 mg), 72 hours, Rabbit REACH dossier information. Not irritating.
Skin sensitisation	
Skin sensitisation	Local Lymph Node Assay (LLNA) - Mouse: Not sensitising. REACH dossier information.
Germ cell mutagenicity	
Genotoxicity - in vitro	Chromosome aberration: Negative. REACH dossier information.
Reproductive toxicity	
Reproductive toxicity - fertility	Screening - NOEL 1000 mg/kg/day, Oral, Rat P REACH dossier information. No evidence of reproductive toxicity in animal studies.
Reproductive toxicity -	Developmental toxicity: - NOAEC: > 1.25 %, Oral, Rat REACH dossier information.
development	
αενειορπειτ	Cement, portland, chemicals
Skin corrosion/irritation	Cement, portland, chemicals
	Cement, portland, chemicals Skin Irrit. 2 - H315 Causes skin irritation.
Skin corrosion/irritation	Skin Irrit. 2 - H315 Causes skin irritation.
Skin corrosion/irritation Animal data	Skin Irrit. 2 - H315 Causes skin irritation.
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye	Skin Irrit. 2 - H315 Causes skin irritation.
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye damage/irritation	Skin Irrit. 2 - H315 Causes skin irritation.
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye damage/irritation Skin sensitisation	Skin Irrit. 2 - H315 Causes skin irritation. <b>tion</b> Eye Dam. 1 - H318 Causes serious eye damage. Skin Sens. 1 - H317 May cause an allergic skin reaction.
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye damage/irritation Skin sensitisation Skin sensitisation	Skin Irrit. 2 - H315 Causes skin irritation. <b>tion</b> Eye Dam. 1 - H318 Causes serious eye damage. Skin Sens. 1 - H317 May cause an allergic skin reaction.
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye damage/irritation Skin sensitisation Skin sensitisation Specific target organ toxic	Skin Irrit. 2 - H315 Causes skin irritation. <b>tion</b> Eye Dam. 1 - H318 Causes serious eye damage. Skin Sens. 1 - H317 May cause an allergic skin reaction. <b>ity - single exposure</b>
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye damage/irritation Skin sensitisation Skin sensitisation Specific target organ toxic	Skin Irrit. 2 - H315 Causes skin irritation. <b>tion</b> Eye Dam. 1 - H318 Causes serious eye damage. Skin Sens. 1 - H317 May cause an allergic skin reaction. <b>ity - single exposure</b> STOT SE 3 - H335 May cause respiratory irritation.
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye damage/irritation Skin sensitisation Skin sensitisation Specific target organ toxic STOT - single exposure	Skin Irrit. 2 - H315 Causes skin irritation. <b>tion</b> Eye Dam. 1 - H318 Causes serious eye damage. Skin Sens. 1 - H317 May cause an allergic skin reaction. <b>ity - single exposure</b> STOT SE 3 - H335 May cause respiratory irritation.
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye damage/irritation Skin sensitisation Skin sensitisation Specific target organ toxic STOT - single exposure Acute toxicity - oral Acute toxicity oral (LD <sub>50</sub>	Skin Irrit. 2 - H315 Causes skin irritation. <b>tion</b> Eye Dam. 1 - H318 Causes serious eye damage. Skin Sens. 1 - H317 May cause an allergic skin reaction. <b>ity - single exposure</b> STOT SE 3 - H335 May cause respiratory irritation. <u>Calcium dihydroxide</u>
Skin corrosion/irritation Animal data Serious eye damage/irrita Serious eye damage/irritation Skin sensitisation Skin sensitisation Specific target organ toxic STOT - single exposure Acute toxicity - oral Acute toxicity oral (LD <sub>50</sub> mg/kg)	Skin Irrit. 2 - H315 Causes skin irritation. tion Eye Dam. 1 - H318 Causes serious eye damage. Skin Sens. 1 - H317 May cause an allergic skin reaction. tity - single exposure STOT SE 3 - H335 May cause respiratory irritation. Calcium dihydroxide 2,001.0

Acute toxicity - dermal	
Acute toxicity dermal (LD₅ mg/kg)	2,500.0
Species	Rabbit
Notes (dermal LD₅₀)	REACH dossier information.
ATE dermal (mg/kg)	2,500.0
Serious eye damage/irritati	on
Serious eye damage/irritation	Causes serious eye damage.
Germ cell mutagenicity	
Genotoxicity - in vitro	Chromosome aberration: Negative. REACH dossier information.
Carcinogenicity	
Carcinogenicity	NOAEL 21500 mg/kg/day, Oral, Rat REACH dossier information. Read across data. No evidence of carcinogenicity in animal studies.
Reproductive toxicity	
Reproductive toxicity - development	Developmental toxicity: - NOAEL: ≥ 440 mg/kg/day, Oral, Mouse REACH dossier information. Read across data. No evidence of reproductive toxicity in animal studies.
	Crystalline Silica
Specific target organ toxicit	y - repeated exposure
	STOT RE 1 - H372 Causes damage to organs through prolonged or repeated exposure if inhaled.
	Limestone
Toxicological effects	Not regarded as a health hazard under current legislation.
i onicelegical enecto	
	Silicon dioxide
Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral	
Notes (oral LD₅₀)	> 5000 mg/kg, Rat REACH dossier information. Based on available data the classification criteria are not met.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	> 2000 mg/kg, Rabbit, REACH dossier information. Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	No information available.
Skin corrosion/irritation	
Animal data	Dose: 0.5 g, 4 hours, Rabbit Primary dermal irritation index: 0 REACH dossier information. Not irritating.
Sorious ava damaga/irritati	

Serious eye damage/irritation

	Serious eye damage/irritation	Dose: 100 mg, 24 hours, Rabbit REACH dossier information. Not irritating.
	Respiratory sensitisation	
	Respiratory sensitisation	No information available.
	Skin sensitisation	
	Skin sensitisation	No information available.
	Germ cell mutagenicity	
	Genotoxicity - in vitro	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
	Genotoxicity - in vivo	Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.
	Carcinogenicity	
	Carcinogenicity	NOAEL 5 %, Oral, Rat REACH dossier information.
	IARC carcinogenicity	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
	Reproductive toxicity	
	Reproductive toxicity - development	Maternal toxicity: - NOAEL: 1350 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
	Specific target organ toxici	ty - single exposure
	STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
	Specific target organ toxici	ty - repeated exposure
	STOT - repeated exposure	<ul> <li>NOEL &lt; 4500 mg/kg/day, Oral, Rat REACH dossier information. Not classified as a specific target organ toxicant after repeated exposure.</li> </ul>
	Aspiration hazard	
	Aspiration hazard	Not relevant.
<b>SECTION 1</b>	2: Ecological Information	
Ecotoxicity	The pro organisr	duct may affect the acidity (pH) of water which may have hazardous effects on aquatic ns.
12.1. Toxici	<u>ty</u>	
Toxicity	Based o	n available data the classification criteria are not met.
Ecological i	nformation on ingredients.	
		Cement, alumina, chemicals
	Toxicity	Based on available data the classification criteria are not met.
	Acute toxicity - fish	LC₅₀, 96 hours: >100 mg/l, Brachydanio rerio (Zebra Fish)
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 5.4 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: 3.6 mg/l, Selenastrum capricornutum

Acute toxicity - microorganisms	EC₅₀, 3 hours: >1000 mg/l, Activated sludge	
	Calcium carbonate	
Toxicity	Aquatic toxicity is unlikely to occur. Based on available data the classification criteria are not met.	
Acute toxicity - fish	LC₅₀, 96 hours: > 100 %, Onchorhynchus mykiss (Rainbow trout) NOEC, 96 hours: > 100 %, Onchorhynchus mykiss (Rainbow trout) REACH dossier information.	
Acute toxicity - aquatic invertebrates	EC₅, 48 hours: > 100 %, Daphnia magna NOEC, 48 hours: 100 %, Daphnia magna REACH dossier information.	
Acute toxicity - aquatic plants	EC <sub>10</sub> , 72 hours: > 14 mg/l, Desmodesmus subspicatus EC <sub>20</sub> , 72 hours: > 14 mg/l, Desmodesmus subspicatus EC <sub>50</sub> , 72 hours: > 14 mg/l, Desmodesmus subspicatus NOEC, 72 hours: 14 mg/l, Desmodesmus subspicatus REACH dossier information.	
Acute toxicity - microorganisms	EC₅₀, 3 hours: > 1000 mg/l, Activated sludge NOEC, 3 hours: 1000 mg/l, Activated sludge REACH dossier information.	
	Cement, portland, chemicals	
Toxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.	
	Calcium dihydroxide	
Toxicity	Based on available data the classification criteria are not met.	
Acute toxicity - fish	LC₅₀, 96 hours: 457 mg/l, Gasterosteus aculeatus (Three-spined stickleback) REACH dossier information.	
Acute toxicity - aquatic invertebrates	LC₅₀, 96 hours: 158 mg/l, Crangon septemspinosa REACH dossier information.	
Acute toxicity - aquatic plants	EC <sub>10</sub> , 72 hours: 79.22 mg/l, Pseudokirchneriella subcapitata EC <sub>20</sub> , 72 hours: 106.02 mg/l, Pseudokirchneriella subcapitata EC <sub>50</sub> , 72 hours: 184.57 mg/l, Pseudokirchneriella subcapitata LOEC, 72 hours: 80 mg/l, Pseudokirchneriella subcapitata NOEC, 72 hours: 48 mg/l, Pseudokirchneriella subcapitata REACH dossier information.	
Acute toxicity - microorganisms	EC <sub>20</sub> , 3 hours: 229.2 mg/l, Activated sludge EC <sub>50</sub> , 3 hours: 300.4 mg/l, Activated sludge REACH dossier information.	
Acute toxicity - terrestrial	NOEC, 4 weeks: 2000 mg/kg, Eisenia Fetida (Earthworm) REACH dossier information.	

Chronic toxicity - aquatic invertebrates	LC₅₀, 14 days: 53.1 mg/l, Crangon septemspinosa NOEC, 14 days: 32 mg/l, Crangon septemspinosa REACH dossier information.
Toxicity to soil	NOEC, 96 days: 4000 mg/kg, Soil EC₅₀, 28 days: > 12000 mg/kg, Soil REACH dossier information.
Toxicity to terrestial plants	EC₅₀, 21 days: 5640 mg/kg, Allium porrum REACH dossier information.
	Crystalline Silica
Toxicity	No negative effects on the aquatic environment are known.
	Limestone
Toxicity	Not regarded as dangerous for the environment.
	Silicon dioxide
Toxicity	Aquatic toxicity is unlikely to occur. Based on available data the classification criteria are not met.
Acute toxicity - fish	LL₀, 96 hours: 10000 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.
Acute toxicity - aquatic invertebrates	EL₅o, 24 hours: > 1000 mg/l, Daphnia magna REACH dossier information.
12.2. Persistence and degradability	
Persistence and degradability The deg Ecological information on ingredients.	radability of the product is not known.
	Cement, alumina, chemicals
Persistence and degradability	The product contains inorganic substances which are not biodegradable.
	Calcium carbonate
Persistence and degradability	The product contains only inorganic substances which are not biodegradable.
	Crystalline Silica
Persistence and degradability	The product contains only inorganic substances which are not biodegradable.
	Limestone
Persistence and degradability	Substance is inorganic.
	Silicon dioxide

Persistence and	Substance is inorganic.
degradability	
12.3. Bioaccumulative potentia	
Bioaccumulative potential	No data available on bioaccumulation.
Partition coefficient	Not determined.
Ecological information on ingre	ients.
	Cement, alumina, chemicals
Bioaccumulative p	otential No data available on bioaccumulation.
Partition coefficier	Technically not feasible.
	Calcium carbonate
Bioaccumulative p	otential No data available on bioaccumulation.
	Calcium dihydroxide
Bioaccumulative p	otential The product is not bioaccumulating.
	Crystalline Silica
Bioaccumulative p	otential No data available on bioaccumulation.
	Limestone
Bioaccumulative p	otential No data available on bioaccumulation.
	Silicon dioxide
Bioaccumulative p	otential No data available on bioaccumulation.
12.4. Mobility in soil	
Mobility	No data available.
Ecological information on ingre	ients.
	Cement, alumina, chemicals
Mobility	The product is soluble in water.
	Calcium carbonate
Mobility	The product is soluble in water.
	Cement, portland, chemicals
Mobility	No information available.
	Calcium dihydroxide
Mobility	The product is soluble in water.
Surface tension	72 mN/m @ 20°C REACH dossier information.

### Crystalline Silica

	Mobility	No data available.
		Limestone
	Mobility	The product is soluble in water.
		Silicon dioxide
	Mobility	Slightly soluble in water.
12.5. Result	s of PBT and vPvB assessm	ient
Ecological in	nformation on ingredients.	
		Cement, alumina, chemicals
	Results of PBT and vPvB assessment	Not relevant. Substance is inorganic.
		Calcium carbonate
	Results of PBT and vPvB assessment	Substance is inorganic. Not relevant.
		Calcium dihydroxide
	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
		Crystalline Silica
	Results of PBT and vPvB assessment	Substance is inorganic. Not relevant.
		Limestone
	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
		Silicon dioxide
	Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other	adverse effects	
Other adver	se effects None kn	own.
SECTION 1	3: Disposal considerations	
13.1. Waste	treatment methods	

General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

### **SECTION 14: Transport information**

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

### 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

### 14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

#### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

### SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Restrictions (Title VIII Regulation 1907/2006)	Entry number: 47

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

Classification procedures according to Regulation (EC) 1272/2008	Eye Dam. 1 - H318, Skin Sens. 1 - H317: Calculation method.
Training advice	Read and follow manufacturer's recommendations.
Revision comments	Revised formulation.
Revision date	24/08/2016
Revision	4
Supersedes date	01/04/2014
SDS number	4817
Hazard statements in full	<ul> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H319 Causes serious eye irritation.</li> <li>H335 May cause respiratory irritation.</li> <li>H372 Causes damage to organs through prolonged or repeated exposure if inhaled.</li> </ul>

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.