

CE	
Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton, WV1 1LH 13	
EN 12620	
Aggregates for Concrete	
DoP No. 014	
Particle shape	NR
Particle size	0/4 MP G _F 85
Particle density	2.60 Mg/m ³
Cleanliness	
Fine quality	NR
Shell content	NR
Resistance to fragmentation/crushing	NR
Resistance to polishing	NPD
Resistance to abrasion	NR
Resistance to wear	NR
Composition/content	
Constituents of coarse recycled aggregates	NR
Chlorides	<0.042%C
Acid soluble sulfates	AS _{0.2}
Total sulfur	Pass: <1% S
Water soluble sulfate content of recycled aggregate	NR
Constituents which alter the rate of setting and hardening of concrete recycled aggregates on initial setting of cement	NR NPD Influence of
Carbonate content	NPD
Volume stability	
Drying shrinkage	0.075% WS; Pass
Constituents which effect the volume stability of air cooled blast	NR furnace slag
Water absorption	Max 2.0%
Emission of radioactivity	NPD
Release of heavy metals	NPD
Release of polyaromatic carbons	NPD
Release of other dangerous substances	NPD
Durability against freeze / thaw	NR
Durability against alkali- silica reactivity	NPD