

Screed Description	Page No	EN 13813 Class
<a href="#">CA-C25-F4 Topflow Eco</a>	2	CA-C25-F4
<a href="#">CA-C30-F4 Topflow Thermio</a>	3	CA-C30-F8
<a href="#">CA-C30-F8 Topflow Excelio</a>	4	CA-C30-F8
<a href="#">CA-C35-F6 XTR</a>	5	CA-C35-F6
<a href="#">CA-C35-F6 Soundbar</a>	5	CA-C35-F6

**UK  
CA**

Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton,  
WV1 1LH, UK  
13  
DoP No. 022

EN 13813 CA-C25-F4

**Calcium Sulfate levelling compound for substrates in interior locations**

**Reaction to fire:** Euroclass A1<sub>fl</sub>  
**Release of corrosive substances:** CA pH > 7  
**Water permeability:** NPD  
**Water vapour permeability:** NPD  
**Compressive strength:** C25  
**Flexural strength:** F4  
**Wear resistance:** NPD  
**Sound insulation:** NPD  
**Sound absorption:** NPD  
**Thermal resistance:** NPD  
**Chemical resistance:** NPD

**UK  
CA**

Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton,  
WV1 1LH, UK

13  
DoP No. 022

EN 13813 CA-C30-F8

**Calcium sulfate levelling compound for substrates in interior locations**

**Reaction to fire:** Euroclass A1<sub>fl</sub>  
**Release of corrosive substances:** CA pH > 7  
**Water permeability:** NPD  
**Water vapour permeability:** NPD  
**Compressive strength:** C30  
**Flexural strength:** F4  
**Wear resistance:** NPD  
**Sound insulation:** NPD  
**Sound absorption:** NPD  
**Thermal resistance:** NPD  
**Chemical resistance:** NPD

**UK  
CA**

Tarmac Building Products Limited, 110, Railway Drive, Wolverhampton,  
WV1 1LH, UK  
13  
DoP No. 022

EN 13813 CA-C30-F8

**Calcium sulfate levelling compound for substrates in interior locations**

**Reaction to fire:** Euroclass A1<sub>fl</sub>  
**Release of corrosive substances:** CA pH > 7  
**Water permeability:** NPD  
**Water vapour permeability:** NPD  
**Compressive strength:** C30  
**Flexural strength:** F8  
**Wear resistance:** NPD  
**Sound insulation:** NPD  
**Sound absorption:** NPD  
**Thermal resistance:** NPD  
**Chemical resistance:** NPD

**UK  
CA**

Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton,  
WV1 1LH, UK  
13  
DoP No. 022

EN 13813 CA-C35-F6

**Calcium sulfate levelling compound for substrates in interior locations**

**Reaction to fire:** Euroclass A1<sub>fl</sub>  
**Release of corrosive substances:** CA pH > 7  
**Water permeability:** NPD  
**Water vapour permeability:** NPD  
**Compressive strength:** C35  
**Flexural strength:** F6  
**Wear resistance:** NPD  
**Sound insulation:** NPD  
**Sound absorption:** NPD  
**Thermal resistance:** NPD  
**Chemical resistance:** NPD