

Screed Description	Page No	EN 13813 Class
CA-C25-F4 Topflow Eco	2	CA-C25-F4
CA-C30-F4 Topflow Thermio	3	CA-C30-F8
CA-C30-F8 Topflow Excelio	4	CA-C30-F8
CA-C35-F6 XTR	5	CA-C35-F6
CA-C35-F6 Soundbar	5	CA-C35-F6

**UK
CA**

Tarmac Building Products Limited, 110, Railway Drive, Wolverhampton,
WV1 1LH, UK
20
DoP No. 022

EN 13813 CA-C25-F4

Calcium Sulfate levelling compound for substrates in interior locations

Reaction to fire: Euroclass A1_{fl}
Release of corrosive substances: CA pH > 7
Water permeability: NPD
Water vapour permeability: NPD
Compressive strength: C25
Flexural strength: F4
Wear resistance: NPD
Sound insulation: NPD
Sound absorption: NPD
Thermal resistance: NPD
Chemical resistance: NPD

**UK
CA**

Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton,
WV1 1LH, UK
20
DoP No. 022

EN 13813 CA-C30-F8

Calcium sulfate levelling compound for substrates in interior locations

Reaction to fire: Euroclass A1_{fl}
Release of corrosive substances: CA pH > 7
Water permeability: NPD
Water vapour permeability: NPD
Compressive strength: C30
Flexural strength: F4
Wear resistance: NPD
Sound insulation: NPD
Sound absorption: NPD
Thermal resistance: NPD
Chemical resistance: NPD

**UK
CA**

Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton,
WV1 1LH, UK
20
DoP No. 022

EN 13813 CA-C30-F8

Calcium sulfate levelling compound for substrates in interior locations

Reaction to fire: Euroclass A1_{fl}
Release of corrosive substances: CA pH > 7
Water permeability: NPD
Water vapour permeability: NPD
Compressive strength: C30
Flexural strength: F8
Wear resistance: NPD
Sound insulation: NPD
Sound absorption: NPD
Thermal resistance: NPD
Chemical resistance: NPD

**UK
CA**

Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton,
WV1 1LH, UK
20
DoP No. 022

EN 13813 CA-C35-F6

Calcium sulfate levelling compound for substrates in interior locations

Reaction to fire: Euroclass A1_{fl}
Release of corrosive substances: CA pH > 7
Water permeability: NPD
Water vapour permeability: NPD
Compressive strength: C35
Flexural strength: F6
Wear resistance: NPD
Sound insulation: NPD
Sound absorption: NPD
Thermal resistance: NPD
Chemical resistance: NPD