

Declaration of Performance DoP No. 022

1. Unique identification code of product type: **See Table 1 below.**
2. Type, batch or serial number or any other element allowing identification of the construction product:
The date of production can be traced via the date printed on the despatch note.
3. Intended use: **Calcium sulphate levelling compound for substrates in interior locations**
4. Name, registered trade name or registered trade mark and contact address of the manufacturer:
Tarmac Building Products Limited, i10, Railway Drive, Wolverhampton, WV1 1LH, UK
5. Authorised representative: **Not applicable**
6. Assessment and verification of constancy of performance: **System 4**
7. In accordance with the harmonised standard **EN 13813:2002.**
8. Table 1 Declared performance

Unique Identification Code	CA-C25-F4 Topflow Eco	CA-C30-F8 Topflow Thermio	CA-C30-F8 Topflow Excelio	CA-C35-F6 XTR	CA-C35-F6 Soundbar	Harmonised Technical Specification
Essential Characteristics	Performance					
Release of Corrosive Substances	CA pH value ≥7.0	CA pH value ≥7.0	CA pH value ≥7.0	CA pH value ≥7.0	CA pH value ≥7.0	EN 13813:2002
Compressive strength	C25	C30	C30	C35	C35	
Flexural strength	F4	F8	F8	F6	F6	
Reaction to Fire	A1 _{fi}	A1 _{fi}	A1 _{fi}	A1 _{fi}	A1 _{fi}	
Water permeability	NPD	NPD	NPD	NPD	NPD	
Water vapour permeability	NPD	NPD	NPD	NPD	NPD	
Wear resistance	NPD	NPD	NPD	NPD	NPD	
Sound insulation	NPD	NPD	NPD	NPD	NPD	
Sound absorption	NPD	NPD	NPD	NPD	NPD	
Chemical resistance	NPD	NPD	NPD	NPD	NPD	
Thermal Resistance	NPD	NPD	NPD	NPD	NPD	

Declaration of Performance DoP No. 022

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of Tarmac Building Products by:



Chris Mason
Manufacturing Management & Information Systems Manager