

No. KM 10370

BSI hereby grants to:

**Tarmac Topblock Limited
Bluebell Close
Clover Nook Industrial Estate
Somercotes
Alferton
DE55 4RA
United Kingdom**

In respect of:


BS EN 771-4

Specification for masonry units - Autoclaved aerated concrete masonry units

the right and Licence to use the Kitemark in accordance with the Kitemark Licence Conditions of Contract governing the use of the Kitemark, as may be updated from time to time by BSI, and as approved by the Registrar under the Trade Marks Act 1994 (the "Conditions"). All defined terms in this Licence shall have the same meaning as in the Conditions.

The use of the Kitemark is authorized in respect of the Product(s) detailed on this Licence provided at or from the above address.

For and on behalf of BSI:



Alastair Trivett, Managing Director, BSI Product Services – Global

First granted: 1 Aug 1990

Date: 12 Mar 2008

Page: 1 of 3




The licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity telephone: +44 (0)1442 230442
BSI is incorporated by Royal Charter



BSI Product Services

Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ United Kingdom
Tel: +44 (0)1442 230442 Website: www.bsi-global.com

BSI Group Headquarters: 389 Chiswick High Road, London W4 4AL Tel: +44 (0)208 996 9000



No. KM 10370

Tarmac Topblock Limited

Alferton

BS EN 771 – 4 : Specification for masonry units – Part 4: Autoclaved aerated concrete masonry units

MASONRY UNITS (CATEGORY I)

Toplite GT1, Coursing Brick

Worksize – Blocks – 440x100 – 265x215mm Bricks – 215x100 – 125x65mm; Configuration – Plain regular shaped units; Tolerance category – GPLM; Density – gross 460Kg/m³; Compressive strength – 2.9 N/mm²; Moisture movement – 0.40mm/M; Water vapour permeability - μ 5/10; Reaction to fire – Class A1

Toplite Standard, Coursing Brick

Worksize – Blocks – 440x75 – 215x215mm Bricks – 215x100 – 125x65mm; Configuration – Plain regular shaped units; Tolerance category – GPLM; Density – gross 630Kg/m³; Compressive strength – 3.6 N/mm²; Moisture movement – 0.40mm/m; Water vapour permeability - μ 5/15; Reaction to fire – Class A1

Toplite '7', Coursing brick

Worksize – Blocks – 440x90 – 215xmm Bricks – 215x100 – 215x 65mm; Configuration – Plain regular shaped units; Tolerance category – GPLM; Density – gross 730Kg/m³; Compressive strength – 7.3 N/mm²; Moisture movement – 0.40mm/m; Water vapour permeability - μ 5/10; Reaction to fire – Class A1

Toplite Foundation

Worksize – 440x260-300x215mm; Configuration – Plain regular shaped units; Tolerance category – GPLM; Density – gross 630, 730Kg/m³; Compressive strength – 3.6, 7.3 N/mm²; Moisture movement – 0.40mm/m; Water vapour permeability - μ 5/10; Reaction to fire – Class A1

First granted: 1 Aug 1990

Date: 12 Mar 2008

Page: 2 of 3

The licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity telephone: +44 (0)1442 230442


BSI is incorporated by Royal Charter

BSI
Product Services

BSI Product Services

Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ United Kingdom
Tel: +44 (0)1442 230442 Website: www.bsi-global.com

BSI Group Headquarters: 389 Chiswick High Road, London W4 4AL Tel: +44 (0)208 996 9000



No. KM 10370

Tarmac Topblock Limited

Alferton

MASONRY UNITS (CATEGORY I) continued

Toplite Floor Block

Worksize – 535x440x100mm; **Configuration** – Plain regular shaped units; **Tolerance category** – GPLM; **Density** – gross 630Kg/m³; **Compressive strength** – 3.6N/mm²; **Moisture movement** – 0.40mm/m; **Water vapour permeability** - μ 5/10; **Reaction to fire** – Class A1

First granted: 1 Aug 1990

Date: 12 Mar 2008

Page: 3 of 3

The licence remains the property of BSI and shall be returned immediately upon request. This licence does not expire. To check its validity telephone: +44 (0)1442 230442
BSI is incorporated by Royal Charter

BSI
Product Services

BSI Product Services

Maylands Avenue, Hemel Hempstead, Hertfordshire HP2 4SQ United Kingdom
Tel: +44 (0)1442 230442 Website: www.bsi-global.com

BSI Group Headquarters: 389 Chiswick High Road, London W4 4AL Tel: +44 (0)208 996 9000

BSI Product Services

Kitemark House Maylands Avenue Hemel Hempstead Herts HP2 4SQ

Tel +44 (0)8450 765600

Fax +44 (0)8450 765601

www.bsi-global.com



Ref: CT/LN/10370

Date: 17th March 2008

Mr Colin Marshall
Tarmac Topblock Limited
Bluebell Close
Clover Nook Industrial Estate
Alfreton
DE55 4RA

Dear Mr Marshall,

BS EN 771-4 KITEMARK LICENCE NUMBER KM 10370

RE-ISSUE OF KITEMARK LICENCE DOCUMENT.

Please find enclosed your new Kitemark licence document.

Please acknowledge receipt by return and confirm that previous issues have been destroyed.

If you have any queries or require any further information, please contact me on 08450 765600.

Yours sincerely

A large, stylized handwritten signature in black ink, appearing to be 'Lee Neale'.

PP
Lee Neale
Group Manager
Product Certification

Enc. Kitemark licence document